

ATG

BETTER VALUE.
SMARTER CHOICE.

WORLD'S LEADING OFF-HIGHWAY TIRE BRAND NOW IN INDIA

ALLIANCE | GALAXY | PRIMEX



www.atgtire.com

ALLIANCE TIRE GROUP

A fully owned subsidiary of The Yokohama Rubber Company, Japan - Alliance Tire Group (ATG) specializes in development, manufacturing and sale of Off-Highway Tires. With a presence in 120 countries across 6 continents, ATG is one of the fastest growing companies in the sector and has a wide range of offerings for Agricultural, Forestry, Industrial and Material Handling under the brand names – Alliance, Galaxy and Primex. Through focus on innovation, technology and cost efficient manufacturing and distribution practices, ATG's purpose is to deliver superior value through lowest cost of ownership to its customers.

ALLIANCE


Alliance has a range of over 1000 specialized tires, with each product being carefully engineered keeping the latest technology in mind. Alliance helps to maximize profits with its focus on pioneering innovation and technology. It offers the widest range in sizes and patterns so that you have the perfect, most efficient tire for your needs. Alliance is the market leader in Row Crop and a pioneer in Flotation tires. Alliance also boasts of a very comprehensive line-up of tires for tractors, sprayers and spreaders. It offers the widest range in terms of prices, sizes and patterns, which are available for various agricultural and industrial applications.

GALAXY

Galaxy offers purpose built high performance tires that provide superior performance, long life and exceptional value – qualities that are an absolute must for operating in demanding situations that come with the industrial and construction terrains. Galaxy's range of Skid Steer and Contract utility tires is a popular choice for leading OEMs and aftermarket users.

PRIMEX

Primex takes on the toughest terrain so that you can take on the toughest jobs. With its advanced Log stomper series of Forestry tires, It is the brand of choice for forestry contractors and operators. Apart from forestry, Primex tires are also available for Mining, Earth moving and Industrial applications, it offers high value by engineering world class and durable tires at affordable prices.



EARTHMOVER



Tipper



Rigid Dump
Truck



Wheel
Loader



Paver



Grader



Articulated
Dump Truck



Load Haul
Dumper



Primex Rock Mine Lug Plus

E-3



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
	10.00-20	18	300042-36D	22	110.2	TT
20	11.00-20	18	325331-36D	23.6	110.2	TT
	12.00-20*	18	Under Development			TT
24	12.00-24	20	325401-36D	22	115	TT



Tipper

SC

SPECIAL
COMPOUND

C+C

CUT & CHIP
RESISTANT
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND

PRC

PUNCTURE
RESISTANT
COMPOUND



Galaxy Rock Max

E4 / L4



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	12.00-24	20	320401-33	35.5	115	TL
	18.00-25	32	320466-33	53	83	TL
25	18.00-25	40	320465-33	53	102	TL
33	18.00-33	40	320602-33	53	102	TL
35	24.00-35	48	320621-33	61.7	94	TL



Rigid Dump
Truck

SC

SPECIAL
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND



Galaxy HTSR 400

E-4 / L-4



Rim	Size	LI	Cat. No	NSD	IP	TT/TL
	23.5R25	**185B	304698-36	51	76	TL
25	26.5R25	**193B	304700-36	52	76	TL
	29.5R25	**200B	304702-36	57	76	TL



Articulated
Dump Truck



Galaxy Super High Lift

R1

A8



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	15.5/80-24	12	203427-36	-	-	TL
	15.5/80-24	16	203965-33	38.2	58	TL



Wheel
Loader



SPECIAL
COMPOUND

Galaxy S-300

E-3 / L-3 / G-3

A2

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
20	16/70-20*	16	283336-36	-	-	TT/TL
	13.00-24	16	283409-36	28.5	58	TT/TL
24	14.00-24	16	283413-36	25.4	58	TT/TL
	14.00-24	24	283415-36	25.4	123	TT/TL
	14.00-25	20	283452-36	25.4	69	TT/TL
	15.5-25	12	283451-36	27.4	58	TT/TL
	17.5-25	16	283458-36	29.2	44	TT/TL
	17.5-25	20	283441-36	29.2	58.0	TT/TL
	20.5-25	16	283496-36	31.8	40	TT/TL
25	20.5-25	20	283498-36	31.8	47	TT/TL
	20.5-25	24	283470-36	31.8	58	TT/TL
	23.5-25	20	283478-36	35.6	44	TT/TL
	23.5-25	24	283479-36	35.6	51	TT/TL
	26.5-25	28	283485-36	37.1	51	TT/TL
	26.5-25	32	283486-36	37.1	62	TT/TL
	29.5-25	32	283517-36	44.2	54	TT/TL



Wheel
Loader



SPECIAL
COMPOUND



HEAT
RESISTANT
COMPOUND



CUT & CHIP
RESISTANT
COMPOUND



Galaxy Super High Lift

R1

A8



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	15.5/80-24	12	203427-36	-	-	TL
	15.5/80-24	16	203965-33	38.2	58	TL



Wheel
Loader

SC

**SPECIAL
COMPOUND**

Galaxy S-300

E-3 / L-3 / G-3

A2

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
20	16/70-20*	16	283336-36	-	-	TT/TL
	13.00-24	16	283409-36	28.5	58	TT/TL
24	14.00-24	16	283413-36	25.4	58	TT/TL
	14.00-24	24	283415-36	25.4	123	TT/TL
	14.00-25	20	283452-36	25.4	69	TT/TL
	15.5-25	12	283451-36	27.4	58	TT/TL
25	17.5-25	16	283458-36	29.2	44	TT/TL
	17.5-25	20	283441-36	29.2	58.0	TT/TL
	20.5-25	16	283496-36	31.8	40	TT/TL
	20.5-25	20	283498-36	31.8	47	TT/TL
	20.5-25	24	283470-36	31.8	58	TT/TL
	23.5-25	20	283478-36	35.6	44	TT/TL
	23.5-25	24	283479-36	35.6	51	TT/TL
	26.5-25	28	283485-36	37.1	51	TT/TL
	26.5-25	32	283486-36	37.1	62	TT/TL
	29.5-25	32	283517-36	44.2	54	TT/TL



Wheel
Loader

SC

**SPECIAL
COMPOUND**

HRC

**HEAT
RESISTANT
COMPOUND**

C+C

**CUT & CHIP
RESISTANT
COMPOUND**



Galaxy EXR 300

E3 / L3



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	14.00-24	28	344418-36	25	94	TT
	14.00-25	20	344452-36D	25	102	TT
	14.00-25	28	344450-36D	25	94	TL
	15.5-25	12	344451-36	25	36	TL
	17.5-25	16	344458-36D	27	44	TL
	17.5-25	20	344441-33	27	83	TT
25	17.5-25	20	344459-36D	27	83	TL
	17.5-25	24	344217-36	27	105	TL
	20.5-25	16	344468-36	30	51	TL
	20.5-25	20	344469-36	30	65	TL
	20.5-25	24	344470-36	30	76	TL
	23.5-25	20	344478-36D	30	54	TL
	23.5-25	28	344662-36	30	80	TL
	26.5-25	28	344485-36	35	51	TL
	29.5-25	28	344492-36	41	62	TL



Wheel
Loader

C+C

CUT & CHIP
RESISTANT
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND



Galaxy LDSR 300

E3 / L3



Rim	Size	PR/LI	STAR	Cat. No	NSD	IP	TT/TL
25	17.5R25	167B/182A2	**	299694-36	28	94	TL
	20.5R25	177B/193A2	**	299691-36	32	94	TL
	23.5R25	185B/201A2	**	299698-36	35	94	TL
	26.5R25	193B/209A2	**	299700-36	38.5	94	TL
	29.5R25	200B/216A2	**	299702-36	45	94	TL



Wheel
Loader

AS

ALL STEEL

SC

SPECIAL
COMPOUND



LHD 500A / LHD 500

L5

A2

Rim	Size	PR	TT/TL	Cat. No	LHD 500 A	LHD 500	NSD	IP
25	26.5-25	26	TL		Y	-	95	95
	29.5-25	28	TL		Y	-	109.4	62
33	35X65-33 ST	42	TL	367606-33	Y	-	107.5	95.0
	17.5-25	20	TL	368459-36	-	Y	73	83.0
25	20.5-25	20	TL	368469-36	-	Y	78	65.0
	23.5-25	20	TL	368478-33	-	Y	79.5	54.4



Wheel
Loader

C+C

CUT & CHIP
RESISTANT
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND



LHD 500 SDS

L-5

A2

Rim	Size	PR	Cat. No	Wear Limit
24	14.00-24	Solid	581416-33	183
25	14.00-25	Solid	581460-33	183
	17.5-25	Solid	581461-33	183



Wheel
Loader

C+C

CUT & CHIP
RESISTANT
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND



Galaxy Super Smooth SDS

E3

A2

Rim	Size	PR	Cat. No	Wear Limit
	16.00-25	Solid	590466-33	215
25	20.5-25	Solid	590471-33	215
	23.5-25	Solid	590483-33	249
	26.5-25	Solid	547488-33	274
	29.5-25	Solid	590491-33	302



Wheel
Loader

C+C

CUT & CHIP
RESISTANT
COMPOUND

ARC

ABRASION
RESISTANT
COMPOUND



Alliance 308

G2 / L2



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	14.00-24	12	30800008AL-IG	24.1	58	TL
	17.5-25	16	30801709AL-IG	25	44	TL
	17.5-25	12	30801407AL-IN	25	33	TL
25	15.5-25	12	30800800AL-IN	24	36	TL
	20.5-25	16	30802306AL-IN	28	40	TL
	20.5-25	20	30802608AL-IN	28	47	TL



Grader

SC

SPECIAL
COMPOUND

C+C

CUT & CHIP
RESISTANT
COMPOUND



Primex G 3000/G3000 HD

G-2 / L-2



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	13.00-24	12	282410-33	24	43.5	TT/TL
	14.00-24	16	284413-33	24	50.8	TT/TL



Grader

C+C

CUT & CHIP
RESISTANT
COMPOUND



Galaxy Giraffe XLW

G-2 / L-2



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	13.00-24	14	270408-33	25	51	TL
	14.00-24	16	294413-33	25.4	51	TL



Grader



Galaxy MGSR 200

G-2 / L-2

A8

Rim	Size	PR/LI	Cat. No	NSD	IP	TT/TL
24	14.00R24	153 A8	272420-36	26.8	54	TL
25	17.5R25	153/A8	272693-36	28	44	TL
	20.5R25*	-	272696-36	-	-	-



Grader

AS

ALL STEEL

SC

SPECIAL
COMPOUND



Alliance 323

I-3

B

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
20	405/70-20 (16.0/70-20)	16	32301026AL-IN	34	58.0	TL
24	405/70-24	14	32301130AL-IN	34	58.0	TL



Telehandler

C+C

CUT & CHIP
RESISTANT
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

SC

SPECIAL
COMPOUND



Galaxy 314 Mine Service (Steel Belted)

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	12.00-24	20	31400306GX-IN	55	120	TL

L-5S

A2



Load Haul
Dumper

C+C

CUT & CHIP
RESISTANT
COMPOUND

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

SB

STEEL
BELTED



Galaxy Super Severe Mine Slick (Steel Belted)

Rim	Size	PR	Cat. No.	NSD	IP	TT/TL
20	12.00-20	20	370337-33 (Textile)	56	123.0	TL
	12.00-20	20	364337-33 (Steel Belted)	56	123.0	TL
	17.5-25	28	370988-33 (Textile)	70	115	TL
	17.5-25	28	364988-33 (Steel Belted)	70	115	TL
	18.00-25	32	370464-33 (Textile)	88.6	109.0	TL
	18.00-25	32	371464-33 (Steel Belted)	88.6	109.0	TL
25	20.5-25	20	364469-36 (Textile)	78	65	TL
	23.5-25	24	370479-33 (Textile)	80	69	TL
	23.5-25	24	364479-33* (Steel Belted)	80	69	TL
	26.5-25	32	370486-33 (Textile)	93	80.0	TL
	26.5-25	32	364486-33 (Steel Belted)	93	80.0	TL
	29.5-25	40	370493-33 (Textile)	104.8	91.0	TL
33	35x65-33	42	364606-33 (Steel Belted)	97	96	TL



Load Haul
Dumper



SPECIAL
COMPOUND



CUT & CHIP
RESISTANT
COMPOUND



STEEL
BELTED

L-5S



The King of Coal



Rim	Size	PR	Cat. No	NSD	IP
15	35X15-15	32	354173-33	51	150
	8.25-15	12	54136-33	28	110
16	35X15-16	32	354952-33	51	150



Load Haul
Dumper



SPECIAL
COMPOUND




CUT & CHIP
RESISTANT
COMPOUND



MATERIAL HANDLING



Straddle
Carrier



Rubber Tire
Gantry




Reach Stacker



Empty
Container
Handler



Forklift



Galaxy HM-300E

E3



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	14.00-24	28	30910280GX-IN	30.5	145	TL



Empty
Container
Handler



Forklift



HEAT
RESISTANT
COMPOUND



Galaxy HM-350E

IND-3



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	12.00-24	20	345401-33	28	145.0	TL



Empty
Container
Handler



SPECIAL
COMPOUND



WEAR
RESISTANT
COMPOUND



HEAT
RESISTANT
COMPOUND



Galaxy Super Severe Double Width Lug

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	12.00-24	24	305403-33	40.6	130	TT
	14.00-24	28	305418-33	47.3	145	TT

IND-4



Empty
Container
Handler



HEAT
RESISTANT
COMPOUND



Galaxy Terminal Master

IND-3

A6



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
22.5	310/80R22.5	-	374275-36	30	145.0	TL



Bomb Carts

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND

Galaxy Port Max

IND-4

A6



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	12.00-24	20	375401-36	35.5	145.0	TL
25	16.00-25	32	375455-36	52	145.0	TL
	18.00-25	40	323465-33	52	145.0	TL
33	18.00-33	40	323602-33	52	145.0	TL



Reach Stacker

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND

Galaxy HM 400S

IND-4S

A2



Rim	Size	PR	Cat. No	NSD	IP	TT/TL
25	16.00-25	32	337455-33	54	145.0	TL
	18.00-25	40	337465-33	59	145.0	TL



Reach Stacker

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND

Galaxy Port Star Plus

IND-4.5

A2

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
25	18.00-25	40	31500200GX-IN	66	145.0	TL



Reach Stacker

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND



Galaxy HM 450E

IND-5

A2

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
33	18.00-33	40	339602-33	70	145.0	TL



Reach Stacker

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND



Galaxy HM 500S

IND-5

A6

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
25	18.00-25	40	328465-33	79	145.0	TL



Reach Stacker

SC

SPECIAL
COMPOUND

WRC

WEAR
RESISTANT
COMPOUND

HRC

HEAT
RESISTANT
COMPOUND



Galaxy Super Grip

E3

A2

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
25	18.00-25	40	31802355GX-IN	31	145.0	TL



Rubber Tire
Gantry

SC

**SPECIAL
COMPOUND**

WRC

**WEAR
RESISTANT
COMPOUND**

HRC

**HEAT
RESISTANT
COMPOUND**



Galaxy Super Trac

IND-3

A2

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
24	14.00-24	28	348418-36	25.4	145.0	TT
25	16.00-25	32	348455-33	25.8	145.0	TL
	21.00-25	40	348476-33	37	145.0	TL



Rubber Tire
Gantry



Empty
Container
Handler

SC

**SPECIAL
COMPOUND**

WRC

**WEAR
RESISTANT
COMPOUND**



Galaxy Yardmaster

IND1/3

A3

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
8	5.00-8	10	250021-33	12.5	145.0	TT
	18X7-8	16	250800-33	12.5	145.0	TT
9	6.00-9	10	250039-33	13	124.0	TT
	21X8-9	14	250801-33	16	145.0	TT
10	6.50-10	12	250050-33	14.5	140.7	TT
12	7.00-12	12	250079-33	14.5	127.6	TT
	7.00-15	12	250121-33	16	124.7	TT
15	7.50-15	12	250127-33	16	114.6	TT
	28X9-15	14	250134-33	18	140.7	TT
	8.25-15	13	250137-33	18	120.4	TT
	250-15	16	250178-33	19	134.9	TT
	300-15	20	250802-33	22	134.9	TT



Forklift

WRC

WEAR
RESISTANT
COMPOUND



Galaxy Yardmaster Ultra

IND1/3

A3

Rim	Size	PR	Cat. No	NSD	IP	TT/TL
8	5.00-8 NHS	10	256021-33	13.8	145.0	TT
	18X7-8	16	256800-33	17	145.0	TT
9	21X8-9	14	256801-33	15.7	145.0	TT
	6.00-9	10	256039-33	15.7	124.7	TT
10	6.50-10	12	256050-33	18	140.7	TT
12	7.00-12	12	256079-33	18.4	127.6	TT
	250-15	16	256178-33	20	134.9	TT
15	300-15	20	256802-33	24	134.9	TT
	7.00-15	12	256121-33	20	124.7	TT
	7.50-15	12	256127-33	20	114.6	TT
	28X9-15	14	256134-33	19.4	140.7	TT
20	8.25-15	14	256137-33	20	120.4	TT
	9.00-20	14	256313-33	30	100.1	TT
	10.00-20	16	256322-33	33.3	114.6	TT
	12.00-20	20	256336-33	38	127.8	TT
	12.00-20	28	256338-33	38	145.0	TT



Forklift

SC

SPECIAL
COMPOUND

ARC

ABRASION
RESISTANT
COMPOUND

C+C

CUT & CHIP
RESISTANT
COMPOUND



Galaxy Yardmaster Radial

IND-3

A6

Rim	Size	PR	Cal. No	NSD	IP	TT/TL
12	10.00R20*	166	250346-36	35	145.0	TL
	12.00R20*	176	250353-36	39	145.0	TL
24	12.00R24*	178	250391-36	39	145.0	TL



Forklift

SC

SPECIAL
COMPOUND

AS

ALL
STEEL



Galaxy Lifter SDS

SOLID

A6

Rim	Size	Rim	Tire Only	Assembly	NSD
8	15X41/2-8	3.00D-8	638065-33		15.5/31.5
	5.00-8	3.00D-8	638022-33		18.5/37.5
	16x6-8	4.33R-8	638061-33		21.5/43.5
	18x7-8	4.33R-8	638033-33		19.5/39.5
9	140/55-9	4.00E-09	638038-33		14/28
	6.00-9	4.00E-09	638041-33		-
	6.50-10	5.00F-10	638036-33		22.5/44.5
10	200/50-10	6.50F-10	638095-33		18/36
	23x9-10	6.50F-10	638053-33		25.5/51
12	7.00-12	5.00S-12	638080-33		23.5/46.5
	7.00-12	6.50-15	638139-33		23.5/46.5
	28x9-15	7.00-15	638133-33		-
15	250-15	7.00-15	638843-33		-
	300-15	8.00-15	638056-33		23.5/50.5
	7.00-15	5.50-15	638122-33		-
20	10.00-20	7.50-20	638319-33	641319-33	23.5/50.5



Forklift

SC

SPECIAL
COMPOUND

ARC

ABRASION
RESISTANT
COMPOUND

**P
C+C**

PREMIUM CUT &
CHIP RESISTANT
COMPOUND



Yardmaster SDS (QH)

SOLID

A5

Rim	Size	Rim	Cat No.	NSD/60J
8	15x4 1/2-8 (125/75-8)	3.00D-8	582065-33	15.5/31.5
	5.00-8	3.00D-8	582022-33	19.5/39.5
	16x6-8 (150/75-8)	4.33R-8	582061-33	18.5/37.5
	18x7-8 (180/70-8)	4.33R-8	582033-33	21.5/43.5
9	140/55-9	4.00E-9	582038-33	14/28
	6.00-9	4.00E-9	582041-33	22.5/44.5
	21x8-9 (200/75-9)	6.00-9	582044-33	-
	23x9-10 (225/75-10)	6.50E-10	582053-33	25.5/51
10	6.50-10	5.00F-10	582051-33	23.5/46.5
	200/50-10	6.50-10	582095-33	18/36
	7.00-12	5.00S-12	582080-33	23.5/50.5
	23x10-12	8.00G-12	582071-33	-
12	27x10-12	8.00G-12	582082-33	-
	7.00-15	5.50-15	582122-33	25.5/51.5
	8.25-15	6.5-15	582139-33	31.5-64.5
	8.15-15 (28x9-15)	7.00-15	582133-33	26.5/53.5
15	250-15 (250/70-15)	7.00-15	582843-33	32/62
	300-15 (315/70-15)	8.00-15	582056-33	37.5/75.5



Yardmaster SDS (SH)

SOLID

A5

Rim	Size	Rim	Cat No.	NSD/60J
8	15x4 1/2-8 (125/75-8)	3.00D-8	601065-33	15.5/31.5
	16x6-8 (150/75-8)	4.33R-8	601061-33	18.5/37.5
	18x7-8 (180/70-8)	4.33R-8	601033-33	21.5/43.5
	5.00-8	3.00D-8	601022-33	19.5/39.5
9	140/55-9	4.00E-9	601038-33	14/28
	21x8-9 (200/75-9)	6.00-9	601044-33	-
	6.00-9	4.00E-9	601041-33	22.5/44.5
	200/50-10	6.50-10	601095-33	18/36
10	23x9-10 (225/75-10)	6.50E-10	601053-33	25.5/51
	6.50-10	5.00F-10	601051-33	23.5/46.5
	6.50-10	5.50F-10	601036-33	23.5/46.5
	23x10-12	8.00G-12	601071-33	-
12	27x10-12	8.00G-12	601082-33	-
	7.00-12	5.00S-12	601080-33	23.5/50.5



Forklift



Bomb Carts

ARC

ABRASION
RESISTANT
COMPOUND

**P
C+C**

PREMIUM CUT &
CHIP RESISTANT
COMPOUND

SC

SPECIAL
COMPOUND



Yardmaster SDS (SH)

Rim	Size	Rim	Cal No.	NSD/80J
15	250-15 (250/70-15)	7.50-15	601842-33	32/62
	250-15 (250/70-15)	7.00-15	601843-33	32/62
	300-15 (315/70-15)	8.00-15	601056-33	37.5/75.5
	7.00-15	5.50-15	601122-33	25.5/51.5
	7.50-15	5.50-15	601129-33	-
	7.50-15	6.50-15	601125-33	-
	8.15-15 (28x9-15)	7.00-15	601133-33	25.5/51.5
	8.25-15	6.5-15	601139-33	31.5-64.5
	10.00-20	7.00-20	601319-33	25.5/51
	10.00-20	7.50-20	601312-33	23.5/46.5
20	12.00-20	8.50-20	601335-33	-
	12.00-20	8.00-20	601234-33	-
	12.00-24	8.50-20	601399-33	-



Forklift



Bomb Carts



ARC
ABRASION
RESISTANT
COMPOUND



**P
C+C**
PREMIUM CUT &
CHIP RESISTANT
COMPOUND



SC
SPECIAL
COMPOUND



Galaxy Liftop SDS

SOLID

IND1/3

Rim	Size	Rim	Cal. No	Wear Limit
8	15X4 1/2-8 (125/75-8)	3.00D-8	560065W-44	27.5
	15X4 1/2-8 (125/75-8)	3.00D-8	560064W-44	27.5
	16X6-8 (150/75-8)	4.33R-8	560061W-44	31
	18x7-8 (180/70-8)	4.33R-8	560033W-44	34
9	5.00-8	3.00D-8	560022W-44	44
	140/55-9	4.00E-9	560038W-44	24.5
	21X8-9 (200/75-9)	6.00-9	560044W-44	44.5
	6.00-9	4.00E-9	560041W-44	41.50
10	200/50-10	6.50-10	560095W-44	30.5
	23X9-10 (225/75-10)	6.50-10	560053W-44	55.5
	6.50-10	5.50F-10	560036W-44	46.5
	6.50-10	5.00F-10	560051W-44	46.5
12	23X10-12	8.00G-12	560071W-44	-
	27X10-12 (250/75-12)	8.00G-12	560082W-44	50.50
	7.00-12	5.00-12	560080W-44	-
	2.50-15	7.00-15	560843W-44	55
15	2.50-15 (250/70-15)	7.50-15	560842W-44	55
	3.00-15 (315/70-15)	8.00-15	560056W-44	72
	7.00-15	5.50-15	560122W-44	44.8
	8.15- 15(28X9-15) (225/75-15)	7.00-15	560133W-44	50
	8.25-15	6.50-15	560139W-44	60



Forklift

WRC

WEAR
RESISTANT
COMPOUND

C+C

CUT & CHIP
RESISTANT
COMPOUND

AS

ALL
STEEL



Size	Cal. No	Variant
16X6X10 1/2 YM SDS (LG) POB inc Steel Band	634062W-44	Standard Black POB
16X6X10 1/2 YM SDS (NM) LG POB inc Steel Band	636062W-44	Non - marking POB
16X7X10 1/2 YM SDS (LG) POB inc Steel Band	634063W-44	Standard Black POB
16X7X10 1/2 YM SDS (NM) (LG) POB inc Steel Band	636063W-44	Non - marking POB
18X6X12 1/8 YM SDS (LG) POB inc Steel Band	634106W-44	Standard Black POB
18X6X12 1/8 YM SDS (NM) (LG) POB inc Steel Band	636106W-44	Non - marking POB
18X7X12 1/8 YM SDS (LG) POB inc Steel Band	634107W-44	Standard Black POB
18X7X12 1/8 YM SDS (NM) (LG) POB inc Steel Band	636107W-44	Non - marking POB
18X8X12 1/8 YM SDS (LG) POB inc Steel Band	634108W-44	Standard Black POB
18X8X12 1/8 YM SDS (NM) (LG) POB inc Steel Band	636108W-44	Non - marking POB
21X7X15 YM SDS (LG) POB inc Steel Band	634123W-44	Standard Black POB
21X7X15 YM SDS (NM) (LG) POB inc Steel Band	636123W-44	Non - marking POB
21X8X15 YM SDS (LG) POB inc Steel Band	634140W-44	Standard Black POB
21X8X15 YM SDS (NM) (LG) POB inc Steel Band	636140W-44	Non - marking POB
21X9X15 YM SDS (NM) (LG) POB inc Steel Band	636144W-44	Non - marking POB
21X9X15 YM SDS (LUG) POB inc Steel Band	634144W-44	Standard Black POB




Forklift



**SPECIAL
COMPOUND**



**WEAR
RESISTANT
COMPOUND**



Size	Cat. No	Variant
16 1/4X5X11 1/4 YM SDS (NM)(TR) POB inc Steel Band	606066W-44	Non - marking POB
16 1/4X5X11 1/4 YM SDS(TR) POB inc Steel Band	605066W-44	Standard Black POB
16 1/4X6X11 1/4 YM SDS (NM)(TR) POB inc Steel Band	606068W-44	Non - marking POB
16 1/4X6X11 1/4 YM SDS(TR) POB inc Steel Band	605068W-44	Standard Black POB
16 1/4X7X11 1/4 YM SDS (NM)(TR) POB inc Steel Band	606070W-44	Non - marking POB
16 1/4X7X11 1/4 YM SDS(TR) POB inc Steel Band	605070W-44	Standard Black POB
16X5X10 1/2 YM SDS (NM)(TR) POB inc Steel Band	606060W-44	Non - marking POB
16X5X10 1/2 YM SDS (TR) POB inc Steel Band	605060W-44	Standard Black POB
16X6X10 1/2 YM SDS (NM)(TR) POB inc Steel Band	606062W-44	Non - marking POB
16X6X10 1/2 YM SDS (TR) POB inc Steel Band	605062W-44	Standard Black POB
16X7X10 1/2 YM SDS (NM)(TR) POB inc Steel Band	606063W-44	Non - marking POB
16X7X10 1/2 YM SDS (TR) POB inc Steel Band	605063W-44	Standard Black POB
18X6X12 1/8 YM SDS (NM)(TR) POB inc Steel Band	606106W-44	Non - marking POB
18X6X12 1/8 YM SDS (TR) POB inc Steel Band	605106W-44	Standard Black POB
18X7X12 1/8 YM SDS (NM)(TR) POB inc Steel Band	606107W-44	Non - marking POB
18X7X12 1/8 YM SDS (TR) POB inc Steel Band	605107W-44	Standard Black POB
18X8X12 1/8 YM SDS (NM)(TR) POB inc Steel Band	606108W-44	Non - marking POB
18X8X12 1/8 YM SDS (TR) POB inc Steel Band	605108W-44	Standard Black POB
21X7X15 YM SDS (NM)(TR) POB inc Steel Band	606123W-44	Non - marking POB
21X7X15 YM SDS (TR) POB inc Steel Band	605123W-44	Standard Black POB
21X8X15 YM SDS (NM)(TR) POB inc Steel Band	606140W-44	Non - marking POB
21X8X15 YM SDS (TR) POB inc Steel Band	605140W-44	Standard Black POB
21X9X15 YM SDS (NM)(TR) POB inc Steel Band	606144W-44	Non - marking POB
21X9X15 YM SDS (TR) POB inc Steel Band	605144W-44	Standard Black POB



Forklift



**SPECIAL
COMPOUND**



**WEAR
RESISTANT
COMPOUND**



Size	Cat. No	Variant
10X5X6 1/2 YM SDS(SM) POB inc Steel Band	635009W-44	Standard Black POB
10X5X6 1/2YM SDS (NM)SM POB inc Steel Band	637009W-44	Non - marking POB
14X4 1/2X8 YM SDS (NM)SM POB inc Steel Band	637018W-44	Non - marking POB
14X4 1/2X8 YM SDS(SM) POB inc Steel Band	635018W-44	Standard Black POB
15X5X11 1/4 YM SDS (NM)(SM) POB inc Steel Band	637078W-44	Non - marking POB
15X5X11 1/4 YM SDS (SM)POB inc Steel Band	635078W-44	Standard Black POB
16 1/4X5X11 1/4 YM SDS (NM) (SM) POB inc Steel Band	637066W-44	Non - marking POB
16 1/4X5X11 1/4 YM SDS (SM)POB inc Steel Band	635066W-44	Standard Black POB
16 1/4X6X11 1/4 YM SDS (NM) (SM) POB inc Steel Bnd	637068W-44	Non - marking POB
16 1/4X6X11 1/4 YM SDS (SM)POB inc Steel Band	635068W-44	Standard Black POB
16 1/4X7X11 1/4 YM SDS (NM) (SM) POB inc Steel Band	637070W-44	Non - marking POB
16 1/4X7X11 1/4 YM SDS (SM) POB inc Steel Band	635070W-44	Standard Black POB
16X5X10 1/2 YM SDS (NM)SM POB inc Steel Band	637060W-44	Non - marking POB
16X5X10 1/2 YM SDS (SM) POB inc Steel Band	635060W-44	Standard Black POB
16X6X10 1/2 YM SDS (NM)SM POB inc Steel Band	637062W-44	Non - marking POB
16X6X10 1/2 YM SDS (SM)POB inc Steel Band	635062W-44	Standard Black POB
16X7X10 1/2 YM SDS (NM)(SM) POB inc Steel Band	637063W-44	Non - marking POB



Forklift



**SPECIAL
COMPOUND**



**WEAR
RESISTANT
COMPOUND**



Size	Cat. No	Variant
16X7X10 1/2 YM SDS (SM) POB inc Steel Band	635063W-44	Standard Black POB
18X6X12 1/8 YM SDS (NM)(SM) POB inc Steel Band	637106W-44	Non - marking POB
18X6X12 1/8 YM SDS (SM) POB inc Steel Band	635106W-44	Standard Black POB
18X7X12 1/8 YM SDS (NM)(SM) POB inc Steel Band	637107W-44	Non - marking POB
18X7X12 1/8 YM SDS (SM) POB inc Steel Band	635107W-44	Standard Black POB
18X8X12 1/8 YM SDS (NM)(SM) POB inc Steel Band	637108W-44	Non - marking POB
18X8X12 1/8 YM SDS (SM) POB inc Steel Band	635108W-44	Standard Black POB
21X7X15 YM SDS (NM)(SM) POB inc Steel Band	637123W-44	Non - marking POB
21X7X15 YM SDS (SM) POB inc Steel Band	635123W-44	Standard Black POB
21X8X15 YM SDS (NM)(SM) POB inc Steel Band	637140W-44	Non - marking POB
21X8X15 YM SDS(SM) POB inc Steel Band	635140W-44	Standard Black POB
21X9X15 YM SDS (NM)(SM) POB inc Steel Band	637144W-44	Non - marking POB
21X9X15 YM SDS (SM) POB inc Steel Band	635144W-44	Standard Black POB
22X8X16 YM SDS (NM)(SM) POB inc Steel Band	637148W-44	Non - marking POB
22X8X16 YM SDS (SM) POB inc Steel Band	635148W-44	Standard Black POB
22X9X16 YM SDS (NM)(SM) POB inc Steel Band	637149W-44	Non - marking POB
22X9X16 YM SDS (SM) POB inc Steel Band	635149W-44	Standard Black POB



Forklift



**SPECIAL
COMPOUND**



**WEAR
RESISTANT
COMPOUND**




Lined paper for notes.

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slightly aged or off-white appearance. There are some faint, irregular stains or smudges on the surface, particularly towards the bottom half. The edges of the paper are slightly uneven, suggesting it might be from a notebook or a loose-leaf binder.

AGRICULTURE



CONSTRUCTION



INDUSTRIAL



EARTHMOVING



FORESTRY



PRESENCE IN 120 COUNTRIES, ACROSS 6 CONTINENTS

AGRICULTURE | CONSTRUCTION | INDUSTRIAL | EARTHMOVING | FORESTRY



EMAIL: CONTACT@ATGTIRE.COM | WWW.ATGTIRE.COM

Disclaimer: The specifications mentioned in this document are subject to change with no prior intimation or notice. Please visit our website for updated information and details.

Distributor:

With presence in 120 countries, across 6 continents, ATG specializes in the development, manufacturing and sale of Off-Highway Tires. One of the fastest growing companies in the segment, ATG has a wide range of offerings for Agricultural, Forestry, Industrial and OTR tires and three world-renowned brands – Alliance, Galaxy and Primex. ATG's mission is to deliver superior value to their customers through focus on innovation, technology and cost-efficient manufacturing and distribution practices. ATG is a fully owned subsidiary of The Yokohama Rubber Company, Japan.



[facebook.com/atgtire](https://www.facebook.com/atgtire) [@atg_central](https://twitter.com/atg_central) [youtube.com/channel/atgtires](https://www.youtube.com/channel/atgtires) www.atgtire.com